
Disability

PHYSICAL, MENTAL, OR EMOTIONAL DISABILITY

Definition: Respondents who answered “yes” to the question “Are you limited in any way in any activities because of physical, mental, or emotional problems?”

Prevalence of Physical, Mental, or Emotional Disability

- South Dakota 18.2%
- Nationwide median 18.9%


Healthy People 2010 Objective

There was no stated Healthy People 2010 Objective for physical, mental, or emotional disability.

Trend Analysis

This question was asked first in 2001 and then from 2003 through 2007. The percent of respondents who are limited because of a disability decreased from 19.0 percent in 2006 to 18.2 percent in 2007.

Figure 72
Percent of Respondents Whose Activities Are Limited Due to Physical, Mental, or Emotional Problems, 2001 and 2003-2007



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2001 and 2003-2007

Demographics

Gender	Females exhibit a significantly higher prevalence of physical, mental, or emotional problems than males.
Age	The prevalence of physical, mental, or emotional problems increases as age increases. It includes a significant increase when the 55-64 age group is reached. This association is more evident for males.
Race	There are no racial differences demonstrated by the available data.
Region	The west region exhibits a very high prevalence of physical, mental, or emotional problems, while the southeast region shows a very low prevalence. This regional difference is much more evident in males.

Household Income	The prevalence of physical, mental, or emotional problems generally decreases as household income increases. This includes significant decreases as the \$15,000-\$19,999 and \$35,000-\$49,999 income groups are reached. This association is much more evident in females.
Education	The prevalence of physical, mental, or emotional problems decreases as education levels increase. It includes a significant decrease as the college graduate level is reached. This association is more evident with males.
Employment Status	Those who are unable to work demonstrate a very high prevalence of physical, mental, or emotional problems, while those who are employed for wages or self-employed show a very low prevalence.
Marital Status	Those who are divorced, separated, or widowed exhibit a very high prevalence of physical, mental, or emotional problems, while those who are married or have never been married show a very low prevalence.

Table 83
Activities Limited Due to Physical, Mental, or Emotional Problems, 2007

	Total			Male			Female		
	# Resp.	%	95% CI	# Resp.	%	95% CI	# Resp.	%	95% CI
Total	6,799	18.2	(17.0-19.4)	2,774	16.4	(14.8-18.1)	4,025	19.9	(18.2-21.6)
Age									
18-24	238	8.9	(5.4-14.3)	122	5.4	(2.3-12.1)	116	12.7	(6.9-22.2)
25-34	758	9.1	(7.0-11.7)	301	8.3	(5.4-12.4)	457	10.0	(7.3-13.5)
35-44	918	14.0	(11.4-17.1)	417	13.1	(9.5-17.7)	501	15.0	(11.5-19.2)
45-54	1,398	16.3	(14.3-18.7)	585	16.5	(13.3-20.1)	813	16.2	(13.7-19.2)
55-64	1,333	26.1	(23.5-29.0)	566	22.9	(19.2-27.1)	767	29.6	(25.9-33.6)
65-74	1,048	30.3	(27.1-33.6)	414	30.2	(25.4-35.6)	634	30.3	(26.3-34.7)
75+	1,042	34.6	(31.3-38.0)	358	34.9	(29.4-40.8)	684	34.4	(30.4-38.6)
Race									
White	5,970	18.3	(17.1-19.6)	2,442	16.8	(15.1-18.6)	3,528	19.8	(18.0-21.6)
American Indian	580	17.7	(13.9-22.2)	224	15.6	(10.5-22.6)	356	19.7	(14.7-25.9)
Region									
Southeast	1,520	16.5	(14.5-18.8)	633	14.6	(11.9-17.8)	887	18.5	(15.5-21.8)
Northeast	1,482	18.3	(16.1-20.7)	624	14.5	(11.9-17.6)	858	22.3	(19.1-25.9)
Central	1,421	17.7	(15.5-20.2)	571	14.2	(11.5-17.5)	850	20.9	(17.6-24.5)
West	1,514	21.6	(19.2-24.2)	593	23.4	(19.7-27.5)	921	20.1	(17.1-23.5)
American Indian Counties	862	16.4	(13.4-20.0)	353	16.7	(11.9-22.8)	509	16.2	(13.0-20.1)
Household Income									
Less than \$10,000	308	47.1	(36.3-58.2)	101	45.9	(33.2-59.2)	207	47.8	(32.4-63.6)
\$10,000-\$14,999	366	46.0	(38.7-53.3)	122	52.6	(41.1-63.9)	244	41.9	(33.3-51.2)
\$15,000-\$19,999	497	23.2	(18.8-28.1)	175	19.8	(13.8-27.5)	322	25.6	(19.9-32.2)
\$20,000-\$24,999	658	25.4	(20.6-30.9)	230	23.3	(17.2-30.8)	428	26.9	(20.3-34.8)
\$25,000-\$34,999	877	21.2	(17.8-24.9)	384	20.7	(15.8-26.5)	493	21.7	(17.6-26.4)
\$35,000-\$49,999	1,149	14.0	(11.8-16.6)	522	13.7	(10.6-17.6)	627	14.4	(11.4-18.0)
\$50,000-\$74,999	1,060	11.5	(9.4-14.0)	480	9.8	(7.3-13.1)	580	13.2	(10.0-17.2)
\$75,000+	1,030	9.8	(8.0-11.9)	524	10.2	(7.8-13.4)	506	9.1	(6.8-12.2)
Education									
8th Grade or Less	256	29.3	(22.8-36.7)	134	29.8	(21.1-40.3)	122	28.4	(20.3-38.1)
Some High School	377	25.5	(19.8-32.1)	147	22.0	(14.3-32.2)	230	29.1	(21.7-37.8)
High School or G.E.D.	2,254	20.1	(17.9-22.4)	986	18.6	(15.7-22.0)	1,268	21.7	(18.6-25.1)
Some Post-High School	1,909	18.5	(16.4-20.7)	674	14.2	(11.6-17.3)	1,235	21.6	(18.7-24.9)
College Graduate	1,991	13.7	(12.0-15.6)	830	13.2	(10.8-15.9)	1,161	14.2	(11.8-16.9)

Table 83 (continued)									
Activities Limited Due to Physical, Mental, or Emotional Problems, 2007									
	Total			Male			Female		
	# Resp.	%	95% CI	# Resp.	%	95% CI	# Resp.	%	95% CI
Employment Status									
Employed for Wages	3,174	10.9	(9.6-12.3)	1,271	10.5	(8.6-12.7)	1,903	11.3	(9.5-13.3)
Self-employed	960	12.0	(9.8-14.7)	636	10.4	(7.9-13.8)	324	15.9	(11.9-20.9)
Unemployed	159	26.9	(18.4-37.6)	*	*	*	*	*	*
Homemaker	433	20.6	(15.6-26.7)	*	*	*	*	*	*
Retired	1,640	34.0	(31.3-36.7)	617	34.1	(29.9-38.6)	1,023	33.8	(30.6-37.3)
Unable to Work	325	82.0	(73.5-88.2)	133	87.3	(80.3-92.1)	192	77.2	(62.8-87.2)
Marital Status									
Married/Unmarried Couple	4,083	16.6	(15.3-18.0)	1,794	16.1	(14.3-18.1)	2,289	17.1	(15.3-19.1)
Divorced/Separated	927	28.0	(24.4-31.9)	396	25.9	(20.6-32.0)	531	29.8	(25.1-34.9)
Widowed	1,046	32.6	(29.4-35.9)	176	27.9	(21.2-35.8)	870	33.6	(30.1-37.2)
Never Married	727	13.4	(10.2-17.5)	403	12.2	(8.7-16.9)	324	15.3	(9.7-23.4)


Note: *Results based on sample sizes less than 100 have been suppressed.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2007

National Statistics

The national median for respondents whose activities are limited due to physical, mental, or emotional problems was 18.9 percent. South Dakota had 18.2 percent of respondents whose activities are limited due to physical, mental, or emotional problems. North Dakota has the lowest percent of respondents whose activities are limited due to physical, mental, or emotional problems with 15 percent, while West Virginia had the highest percent of respondents whose activities are limited due to physical, mental, or emotional problems with 25.9 percent.

Figure 73
Nationally, Respondents' Activities Limited Due to Physical, Mental, or Emotional Problems, 2007



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2007

Further Analysis

Following are data illustrating the percent of those who are limited because of a disability for various health behaviors and conditions. For example, 73.0 percent of respondents, ages 18-64, on Medicare are limited because of a disability, while 10.3 percent of respondents, ages 18-64, with private health insurance plans are limited because of a disability.

Table 84 Activities Limited Due to Physical, Mental, or Emotional Problems for Selected Health Behaviors and Conditions, 2007			
Health Behavior or Condition	# Respondents	% Activities Limited	95% CI
Obese (BMI = 30.0+)	1,815	25.7	23.0-28.5
Overweight (BMI = 25.0-29.9)	2,539	15.8	14.2-17.6
Recommended Weight (BMI = 18.5-24.9)	2,039	14.3	12.4-16.4
No Leisure Time Physical Activity	1,838	28.1	25.6-30.8
Leisure Time Physical Activity	4,955	15.3	14.0-16.7
No Moderate Physical Activity	3,543	22.0	20.3-23.8
Moderate Physical Activity	2,834	13.6	12.0-15.3
No Vigorous Physical Activity	5,202	21.0	19.6-22.5
Vigorous Physical Activity	1,347	10.4	8.5-12.6
Less Than Five Servings of Fruits and Vegetables	5,364	17.8	16.5-19.2
At Least Five Servings of Fruits and Vegetables	1,365	19.9	17.5-22.6
Current Smoker	1,279	20.2	17.5-23.2
Former Smoker	1,968	23.9	21.8-26.1
Never Smoked	3,540	15.0	13.5-16.6
Smokeless Tobacco Use	308	9.1	6.0-13.5
No Smokeless Tobacco Use	6,260	19.0	17.8-20.3
Diabetes	653	40.8	36.0-45.6
No Diabetes	6,145	16.5	15.4-17.8
Hypertension	2,315	30.4	28.2-32.8
No Hypertension	4,478	14.0	12.7-15.4
High Blood Cholesterol	2,216	26.1	24.0-28.3
No High Blood Cholesterol	3,389	17.1	15.5-18.8
No Health Insurance (18-64)	407	21.4	16.2-27.8
Health Insurance (18-64)	4,024	14.4	13.1-15.8
Employer Based Health Insurance Coverage (18-64)	2,583	11.0	9.6-12.5
Private Health Insurance Plan (18-64)	557	10.3	7.7-13.7
Medicare (18-64)	156	73.0	61.2-82.3
Medicaid or Medical Assistance (18-64)	157	32.1	21.4-45.1
The Military, CHAMPUS, TriCare, or the VA (18-64)	229	26.9	20.1-35.0
The Indian Health Service (18-64)	264	14.7	10.0-21.1
No Flu Shot (65+)	499	28.2	23.7-33.1
Flu Shot (65+)	1,584	33.8	31.2-36.6
No Pneumonia Shot (65+)	718	22.7	19.3-26.4
Pneumonia Shot (65+)	1,284	37.8	34.7-40.9
Doesn't Use Sun Block	4,143	16.1	14.7-17.5
Uses Sun Block	1,610	16.7	14.4-19.4
Doesn't Know Cervical Cancer - HPV Connection (Females)	798	24.8	21.3-28.6
Knows Cervical Cancer - HPV Connection (Females)	3,015	19.3	17.4-21.3
Drank Alcohol in Past 30 Days	3,484	14.0	12.6-15.5
No Alcohol in Past 30 Days	3,288	23.8	21.9-25.8
Binge Drinker	875	10.5	8.0-13.6
Not a Binge Drinker	5,815	19.8	18.5-21.1

Table 84 (continued)
Activities Limited Due to Physical, Mental, or Emotional Problems for Selected Health Behaviors and Conditions, 2007

Health Behavior or Condition	# Respondents	% Activities Limited	95% CI
Heavy Drinker	216	14.9	8.4-25.1
Not a Heavy Drinker	6,403	18.5	17.3-19.7
Previously Had a Heart Attack	460	44.8	39.3-50.5
Never Had a Heart Attack	6,313	16.8	15.6-18.0
Have Angina or Coronary Heart Disease	397	50.9	45.0-56.7
Do Not Have Angina or Coronary Heart Disease	6,330	16.6	15.5-17.9
Previously Had a Stroke	264	45.2	38.1-52.5
Never Had a Stroke	6,522	17.4	16.2-18.6
Current Asthma	496	36.2	30.3-42.6
Former Asthma	172	30.2	20.4-42.1
Never Had Asthma	6,090	16.3	15.2-17.5
Arthritis	2,433	40.2	37.7-42.8
No Arthritis	4,320	9.9	8.9-11.2
Arthritis - Activities Limited	1,166	70.3	66.7-73.7
No Arthritis - Activities Limited	5,566	10.2	9.2-11.2
Fair or Poor Health Status	1,138	57.1	52.8-61.3
Excellent, Very Good, or Good Health Status	5,641	12.6	11.5-13.7
Physical Health Not Good for 30 Days of the Past 30	499	77.4	71.6-82.4
Physical Health Not Good for 0-29 Days of the Past 30	6,152	14.3	13.2-15.5
Mental Health Not Good for 20-30 Days of the Past 30	371	50.4	43.2-57.6
Mental Health Not Good for 0-19 Days of the Past 30	6,310	16.3	15.2-17.5
Usual Activities Unattainable for 10-30 Days of the Past 30	484	75.6	69.9-80.4
Usual Activities Unattainable for 0-9 Days of the Past 30	6,256	14.5	13.4-15.7
Dissatisfied / Very Dissatisfied with Life	266	45.0	36.6-53.7
Satisfied / Very Satisfied with Life	6,324	17.3	16.1-18.5
Disability with Special Equipment Needed	614	75.3	70.8-79.2
No Disability with Special Equipment Needed	6,177	14.3	13.2-15.4
Two or More Hours of TV Watched Per Day	4,879	20.3	18.9-21.8
Less Than Two Hours of TV Watched Per Day	1,586	13.6	11.4-16.1
Never Been Tested for HIV (18-64)	3,440	12.9	11.6-14.4
Been Tested for HIV (18-64)	999	20.0	16.9-23.6
Diarrhea in Past 30 Days	962	29.6	25.8-33.8
No Diarrhea in Past 30 Days	5,608	16.4	15.2-17.6
Military Veteran	996	28.1	24.9-31.6
Not a Military Veteran	5,800	16.6	15.4-17.9

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2007

DISABILITY WITH SPECIAL EQUIPMENT NEEDED

Definition: Respondents who answered “yes” to the question “Do you have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?”

Prevalence of Disability with Special Equipment Needed

- South Dakota 6.2%
- Nationwide median 7.1%


Healthy People 2010 Objective

There was no stated Healthy People 2010 Objective for disability with special equipment needed.

Trend Analysis

This question was asked first in 2001 and then from 2003 through 2007. The percent of respondents who have a disability with special equipment needed increased from 5.8 percent in 2006 to 6.2 percent in 2007.

Figure 74
Percent of Respondents Who Have a Disability with Special Equipment Needed, 2001 and 2003-2007



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2001 and 2003-2007

Demographics

Gender	There is no gender difference exhibited by the available data for those with a health problem that requires special equipment.
Age	The prevalence of health problems requiring special equipment increases as age increases. This includes significant increases occurring when the 45-54, 55-64, and 75 and older age groups are reached. This association is more evident with males.
Race	There are no racial differences shown by the available data.
Region	There are no regional differences observed from the available data.

Household Income	The prevalence of health problems requiring special equipment is much lower in the higher income groups.
Education	The prevalence of health problems requiring special equipment generally decreases as education increases. This association is much more evident in females.
Employment Status	Those who are unable to work demonstrate a very high prevalence of health problems requiring special equipment, while those who are employed for wages, self-employed, or unemployed show a very low prevalence.
Marital Status	Those who are widowed exhibit a very high prevalence of health problems requiring special equipment, while those who have never been married show a very low prevalence.

Table 85
Respondents' Disability with Special Equipment Needed, 2007

	Total			Male			Female		
	# Resp.	%	95% CI	# Resp.	%	95% CI	# Resp.	%	95% CI
Total	6,804	6.2	(5.6-6.8)	2,778	5.6	(4.8-6.6)	4,026	6.8	(6.0-7.6)
Age									
18-24	237	0.0	-	121	0.0	-	116	0.0	-
25-34	758	1.8	(1.0-3.2)	301	2.0	(0.9-4.4)	457	1.7	(0.8-3.6)
35-44	920	2.2	(1.3-3.7)	417	3.3	(1.8-6.1)	503	1.0	(0.3-3.0)
45-54	1,400	5.1	(4.0-6.6)	589	4.8	(3.2-7.2)	811	5.4	(3.9-7.4)
55-64	1,332	9.1	(7.4-11.1)	564	8.0	(5.8-11.0)	768	10.2	(7.8-13.3)
65-74	1,049	11.6	(9.6-14.0)	415	11.9	(8.8-15.9)	634	11.4	(8.8-14.6)
75+	1,043	22.3	(19.5-25.4)	359	20.2	(15.7-25.6)	684	23.6	(20.1-27.5)
Race									
White	5,972	6.3	(5.7-7.0)	2,445	5.8	(4.9-6.8)	3,527	6.8	(6.0-7.8)
American Indian	583	5.8	(4.0-8.3)	225	4.2	(2.4-7.2)	358	7.4	(4.6-11.7)
Region									
Southeast	1,523	5.7	(4.7-6.8)	635	4.9	(3.6-6.6)	888	6.4	(5.1-8.1)
Northeast	1,481	6.3	(5.2-7.7)	624	5.2	(3.8-7.2)	857	7.5	(6.0-9.5)
Central	1,421	6.2	(5.1-7.6)	571	6.4	(4.6-8.7)	850	6.1	(4.8-7.8)
West	1,515	7.3	(6.1-8.7)	594	7.2	(5.3-9.7)	921	7.3	(5.9-9.0)
American Indian Counties	864	5.0	(3.7-6.6)	354	5.0	(3.3-7.7)	510	4.9	(3.3-7.1)
Household Income									
Less than \$10,000	307	15.7	(10.8-22.1)	100	16.7	(10.2-26.1)	207	15.0	(8.9-24.2)
\$10,000-\$14,999	367	18.7	(14.4-23.8)	122	20.5	(13.3-30.2)	245	17.6	(12.8-23.7)
\$15,000-\$19,999	497	12.3	(9.4-16.0)	175	12.3	(7.8-19.0)	322	12.3	(8.8-16.9)
\$20,000-\$24,999	658	7.8	(5.7-10.5)	230	7.9	(4.6-13.2)	428	7.7	(5.3-11.0)
\$25,000-\$34,999	877	7.8	(5.9-10.1)	385	7.0	(4.5-10.8)	492	8.6	(6.2-11.7)
\$35,000-\$49,999	1,150	4.1	(3.0-5.4)	521	4.7	(3.1-6.9)	629	3.4	(2.2-5.3)
\$50,000-\$74,999	1,061	2.9	(2.0-4.2)	483	3.0	(1.8-5.1)	578	2.8	(1.7-4.6)
\$75,000+	1,030	3.1	(2.1-4.4)	524	3.6	(2.2-5.6)	506	2.5	(1.4-4.3)
Education									
8th Grade or Less	256	13.1	(9.0-18.7)	133	10.0	(5.3-17.9)	123	18.5	(12.1-27.4)
Some High School	379	8.2	(5.8-11.6)	147	6.5	(3.7-11.2)	232	10.0	(6.4-15.3)
High School or G.E.D.	2,258	6.5	(5.5-7.6)	990	5.0	(3.8-6.7)	1,268	8.0	(6.5-9.8)
Some Post-High School	1,906	6.8	(5.7-8.1)	673	6.8	(5.1-9.2)	1,233	6.7	(5.4-8.4)
College Graduate	1,993	4.5	(3.6-5.5)	832	4.6	(3.3-6.3)	1,161	4.3	(3.3-5.7)
Employment Status									
Employed for Wages	3,174	2.2	(1.7-2.8)	1,273	2.2	(1.5-3.2)	1,901	2.2	(1.6-3.0)
Self-employed	958	3.0	(1.9-4.6)	634	2.6	(1.4-4.8)	324	3.9	(2.1-7.1)
Unemployed	161	3.1	(1.5-6.2)	*	*	*	*	*	*
Homemaker	435	7.1	(4.8-10.2)	*	*	*	*	*	*
Retired	1,642	17.6	(15.6-19.9)	619	17.6	(14.4-21.4)	1,023	17.7	(15.1-20.5)
Unable to Work	325	41.2	(34.4-48.4)	132	42.7	(33.2-52.8)	193	39.9	(30.6-50.0)

Table 85 (continued)									
Respondents' Disability with Special Equipment Needed, 2007									
	Total			Male			Female		
	# Resp.	%	95% CI	# Resp.	%	95% CI	# Resp.	%	95% CI
Marital Status									
Married/Unmarried Couple	4,086	5.4	(4.7-6.1)	1,797	5.7	(4.7-7.0)	2,289	5.0	(4.1-6.0)
Divorced/Separated	929	8.8	(6.7-11.4)	397	9.3	(6.3-13.7)	532	8.3	(5.7-11.9)
Widowed	1,046	19.8	(17.2-22.8)	176	18.3	(12.1-26.8)	870	20.1	(17.3-23.3)
Never Married	727	2.6	(1.8-3.7)	403	2.1	(1.3-3.6)	324	3.3	(2.0-5.4)


Note: *Results based on sample sizes less than 100 have been suppressed.

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2007

National Statistics

The national median for respondents with a disability who need special equipment was 7.1 percent. South Dakota had 6.2 percent of respondents with a disability who need special equipment. North Dakota has the lowest percent of respondents with a disability who need special equipment with 4.7 percent, while Alabama had the highest percent of respondents with a disability who need special equipment with 9.5 percent.

Figure 75
Nationally, Respondents' Disability with Special Equipment Needed, 2007



Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2007

Further Analysis

Following are data illustrating the percentages of those who use special equipment because of a disability for various health behaviors and conditions. For example, 23.9 percent of respondents who stated they have fair or poor health use special equipment because of a disability, while 3.7 percent of respondents who stated they have excellent, very good, or good health use special equipment because of a disability.

Table 86			
Disability with Special Equipment Needed for Selected Health Behaviors and Conditions, 2007			
Health Behavior or Condition	# Respondents	% Special Equipment	95% CI
Obese (BMI = 30.0+)	1,821	8.6	7.3-10.0
Overweight (BMI = 25.0-29.9)	2,536	5.7	4.8-6.8
Recommended Weight (BMI = 18.5-24.9)	2,039	4.5	3.7-5.5
No Leisure Time Physical Activity	1,845	13.5	11.8-15.5
Leisure Time Physical Activity	4,953	4.1	3.5-4.7
No Moderate Physical Activity	3,550	8.4	7.5-9.5
Moderate Physical Activity	2,835	3.7	3.0-4.5
No Vigorous Physical Activity	5,214	7.5	6.8-8.3
Vigorous Physical Activity	1,345	2.7	1.9-3.8
Less Than Five Servings of Fruits and Vegetables	5,373	5.7	5.1-6.4
At Least Five Servings of Fruits and Vegetables	1,366	8.2	6.7-10.0
Current Smoker	1,282	4.6	3.6-6.0
Former Smoker	1,970	9.4	8.1-10.9
Never Smoked	3,540	5.4	4.6-6.2
Smokeless Tobacco Use	308	3.7	1.8-7.4
No Smokeless Tobacco Use	6,270	6.4	5.8-7.1
Diabetes	656	16.8	13.8-20.4
No Diabetes	6,147	5.4	4.9-6.1
Hypertension	2,321	12.7	11.2-14.3
No Hypertension	4,477	4.0	3.4-4.6
High Blood Cholesterol	2,216	9.8	8.5-11.3
No High Blood Cholesterol	3,391	6.4	5.5-7.3
No Health Insurance (18-64)	407	3.3	1.8-6.0
Health Insurance (18-64)	4,030	3.7	3.2-4.4
Employer Based Health Insurance Coverage (18-64)	2,586	2.4	1.9-3.2
Private Health Insurance Plan (18-64)	558	2.7	1.5-4.9
Medicare (18-64)	157	27.5	19.8-36.9
Medicaid or Medical Assistance (18-64)	158	7.5	4.1-13.3
The Military, CHAMPUS, TriCare, or the VA (18-64)	229	10.0	6.6-15.0
The Indian Health Service (18-64)	264	2.3	1.2-4.3
No Flu Shot (65+)	499	14.5	11.2-18.7
Flu Shot (65+)	1,586	18.0	15.9-20.3
No Pneumonia Shot (65+)	718	9.9	7.7-12.7
Pneumonia Shot (65+)	1,286	21.4	18.9-24.2
Doesn't Use Sun Block	4,151	4.8	4.2-5.6
Uses Sun Block	1,610	5.2	4.1-6.5
Doesn't Know Cervical Cancer - HPV Connection (Females)	800	12.4	10.1-15.3
Knows Cervical Cancer - HPV Connection (Females)	3,016	5.7	4.9-6.7
Drank Alcohol in Past 30 Days	3,483	3.9	3.2-4.6
No Alcohol in Past 30 Days	3,294	9.3	8.2-10.4
Binge Drinker	874	2.3	1.5-3.7
Not a Binge Drinker	5,821	7.0	6.4-7.8
Heavy Drinker	216	2.0	1.1-3.8
Not a Heavy Drinker	6,406	6.4	5.8-7.1

Table 86 (continued)
Disability with Special Equipment Needed for Selected Health Behaviors and Conditions, 2007

Health Behavior or Condition	# Respondents	% Special Equipment	95% CI
Previously Had a Heart Attack	460	21.3	17.1-26.2
Never Had a Heart Attack	6,318	5.4	4.8-6.0
Have Angina or Coronary Heart Disease	398	22.6	18.3-27.7
Do Not Have Angina or Coronary Heart Disease	6,333	5.4	4.9-6.1
Previously Had a Stroke	263	23.2	17.8-29.7
Never Had a Stroke	6,528	5.7	5.1-6.3
Current Asthma	497	13.8	10.8-17.6
Former Asthma	172	5.5	2.9-10.0
Never Had Asthma	6,094	5.6	5.0-6.3
Arthritis	2,435	15.5	13.9-17.3
No Arthritis	4,328	2.7	2.3-3.3
Arthritis - Activities Limited	1,168	24.7	21.9-27.7
No Arthritis - Activities Limited	5,574	3.4	2.9-3.9
Fair or Poor Health Status	1,143	23.9	21.0-27.0
Excellent, Very Good, or Good Health Status	5,641	3.7	3.2-4.2
Physical Health Not Good for 30 Days of the Past 30	501	37.6	32.4-43.1
Physical Health Not Good for 0-29 Days of the Past 30	6,154	4.1	3.6-4.6
Mental Health Not Good for 20-30 Days of the Past 30	374	16.3	12.3-21.3
Mental Health Not Good for 0-19 Days of the Past 30	6,311	5.6	5.1-6.2
Usual Activities Unattainable for 10-30 Days of the Past 30	486	34.2	29.2-39.6
Usual Activities Unattainable for 0-9 Days of the Past 30	6,257	4.4	3.9-4.9
Dissatisfied / Very Dissatisfied with Life	269	16.7	12.1-22.7
Satisfied / Very Satisfied with Life	6,330	5.8	5.2-6.5
Physical, Mental, or Emotional Disability	1,562	25.9	23.3-28.6
No Physical, Mental, or Emotional Disability	5,229	1.9	1.5-2.3
Two or More Hours of TV Watched Per Day	4,887	7.4	6.7-8.3
Less Than Two Hours of TV Watched Per Day	1,587	3.2	2.4-4.2
Never Been Tested for HIV (18-64)	3,445	3.4	2.9-4.2
Been Tested for HIV (18-64)	1,000	3.7	2.7-5.2
Diarrhea in Past 30 Days	963	9.9	8.0-12.2
No Diarrhea in Past 30 Days	5,617	5.6	5.0-6.2
Military Veteran	994	10.1	8.2-12.3
Not a Military Veteran	5,807	5.6	5.0-6.3

Source: The Behavioral Risk Factor Surveillance System, South Dakota Department of Health, 2007